






Catene Fleyer Serie AL - LL
(Tension Linkage Chains)



Catene Fleyer Serie AL - LL
(Tension Linkage Chains)

RBT	Passo	Combinazione Piastre	Ø del perno	Spessore Piastre	Altezza piastre	Larghezza Totale	Carico di rottura	Peso ca.
Rif. ISO	P. mm.		d 2 max. mm.	d 2 max. mm.	h 2 max. mm.	B max. mm	F _u N.	Kg./mt.
AL								
AL 422	1/2" (12,7)	2 X 2	3,97	1,50	10,40	7,90	14100	0,39
AL444		4 X 4				14,40	28200	0,74
AL466		6 X 6				20,50	42300	1,09
AL522	5/8" (15,875)	2 X 2	5,08	1,97	12,85	10,20	22000	0,61
AL544		4 X 4				18,90	44000	1,19
AL566		6 X 6				26,90	66000	1,79
AL588		8 X 8				36,20	88000	2,37
AL622	3/4" (19,05)	2 X 2	5,92	2,44	15,30	12,40	37000	0,86
AL644		4 X 4				22,40	64000	1,69
AL666		6 X 6				32,40	95400	2,52
AL688		8 X 8				42,20	127200	3,34
AL822	1" (25,4)	2 X 2	7,94	3,10	20,70	16,00	56700	1,54
AL844		4 X 4				29,30	113400	3
AL866		6 X 6				42,40	170100	4,46
AL1022	1 1/4" (31,75)	2 X 2	9,53	4,01	26,00	19,60	88500	2,37
AL1044		4 X 4				35,94	177000	4,68
AL1066		6 X 6				52,33	265000	7
AL1088		8 X 8				68,71	354000	9,31

Catene Fleyer Serie AL - LL
(Tension Linkage Chains)

RBT	Passo	Combinazione Piastre	∅ del perno	Spessore Piastre	Altezza piastre	Larghezza Totale	Carico di rottura	Peso ca.
Rif. ISO	P. mm.		d 2 max. mm.	d 2 max. mm.	h 2 max. mm.	B max. mm	F _u N.	Kg./mt.
LL								
LL0822	1/2" (12,7)	2 X 2	4,45	1,65	10,90	7,90	18200	0,39
LL0844		4 X 4				14,40	36400	0,67
LL0866		6 X 6				20,50	54600	0,97
LL1022	5/8" (15,875)	2 X 2	5,08	1,60	13,70	9,30	22700	0,47
LL1044		4 X 4				16,10	45400	0,92
LL1066		6 X 6				22,90	68100	1,38
LL1088		8 X 8				28,00	90800	1,85
LL1222	3/4" (19,05)	2 X 2	5,72	1,90	16,10	10,70	29500	0,6
LL1244		4 X 4				18,50	59000	1,18
LL1266		6 X 6				26,30	88500	1,78
LL1622	1" (25,4)	2 X 2	8,28	3,20	21,10	17,20	58000	1,78
LL1644		4 X 4				30,20	116000	2,85
LL1666		6 X 6				43,20	174000	4,59
LL1688		8 X 8				55,60	232000	5,66
LL2022	1 1/4" (31,75)	2 X 2	10,19	3,70	26,40	20,10	95000	2,15
LL2044		4 X 4				35,10	190000	4,25
LL2066		6 X 6				50,00	285000	6,4
LL2088		8 X 8				64,80	380000	8,48